

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-------|------------------|---------|------------------|
| L1 | 2664 | 714/38 | USPAT | OR | ON | 2007/06/13 12:15 |
| L2 | 1392 | 714/39 | USPAT | OR | ON | 2007/06/13 12:15 |
| L3 | 319 | 714/51 | USPAT | OR | ON | 2007/06/13 12:15 |
| L4 | 525 | 714/55 | USPAT | OR | ON | 2007/06/13 12:15 |
| L5 | 963 | 717/124 | USPAT | OR | ON | 2007/06/13 12:15 |
| L6 | 461 | 717/126 | USPAT | OR | ON | 2007/06/13 12:15 |
| L7 | 888 | 717/127 | USPAT | OR | ON | 2007/06/13 12:15 |
| L8 | 656 | 717/128 | USPAT | OR | ON | 2007/06/13 12:15 |
| L9 | 559 | 717/131 | USPAT | OR | ON | 2007/06/13 12:15 |
| L10 | 2576 | 714/25 | USPAT | OR | ON | 2007/06/13 12:15 |
| L11 | 1786 | 714/30 | USPAT | OR | ON | 2007/06/13 12:15 |
| L12 | 1345 | 714/37 | USPAT | OR | ON | 2007/06/13 12:15 |
| L13 | 150 | (L1 or L2 or L5 or L4 or L3 or L6 or L12 or L11 or L10 or L8 or L9 or L7) and ((variable or adjust\$6) near3 (interval or period or window)) and monitor\$6 | USPAT | OR | ON | 2007/06/13 12:16 |
| L14 | 0 | (L1 or L2 or L5 or L4 or L3 or L6 or L12 or L11 or L10 or L8 or L9 or L7) and ((variable or adjust\$6) near3 (interval or period or window) near3 (decreas\$4 or short\$8)) and monitor\$6 | USPAT | OR | ON | 2007/06/13 12:36 |
| L15 | 12 | (L1 or L2 or L5 or L4 or L3 or L6 or L12 or L11 or L10 or L8 or L9 or L7) and ((group\$4 or bunch\$4 or lot\$4 or array or set or collection or block or cluster) near3 (interval or period or window) near3 (decreas\$4 or short\$8)) and monitor\$6 | USPAT | OR | ON | 2007/06/13 12:46 |

EAST Search History

| | | | | | | |
|-----|----|---|-------|----|----|---------------------|
| L16 | 0 | (L1 or L2 or L5 or L4 or L3 or L6 or L12 or L11 or L10 or L8 or L9 or L7) and ((monitor\$4 or analyz\$4) near3 (group\$4 or bunch\$4 or lot\$4 or array or set or collection or block or cluster) near3 (interval or period or window) near3 (decreas\$4 or short\$8)) | USPAT | OR | ON | 2007/06/13 12:47 |
| L17 | 27 | ((monitor\$4 or analyz\$4) near3 (group\$4 or bunch\$4 or lot\$4 or array or set or collection or block or cluster) near3 (interval or period or window) near3 (decreas\$4 or short\$8)) | USPAT | OR | ON | 2007/06/13 13:11 |
| L18 | 35 | ((monitor\$4 or analyz\$4 or record\$4) near3 (event or state or variable or value)) same (((event or state or variable or value) near3 (group\$4 or bunch\$4 or lot\$4 or array or set or collection or block or cluster)) with ((interval or period or window) near3 (decreas\$4 or short\$8))) | USPAT | OR | ON | 2007/06/13 12:50 |
| L19 | 22 | (L18 or L17) and ((group or cluster or block or collection or array or lot) near3 (event or state or variable or value)) | USPAT | OR | ON | 2007/06/13 13:14 |
| L20 | 15 | (US-5706281-\$ or US-6982842-\$ or US-6556952-\$ or US-6370656-\$ or US-6360337-\$ or US-6199139-\$ or US-6327620-\$ or US-5682489-\$ or US-5375199-\$ or US-7130765-\$ or US-6738730-\$ or US-6691067-\$ or US-6681331-\$ or US-5751963-\$ or US-6064950-\$).did. | USPAT | OR | ON | 2007/06/13 14:01 |
| L21 | 0 | L20 and ((plurality or several or many or multiple or multitude) near3 (event or value or variable)) with ((decreas\$4 or short\$6 or shrink\$4 or less\$6 or reduc\$4) near3 (interval or period or window or time)) | USPAT | OR | ON | 2007/06/13 14:17 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L22 | 801 | ((plurality or several or many or multiple or multitude) near3 (event or value or variable)) with ((decreas\$4 or short\$6 or shrink\$4 or less\$6 or reduc\$4) near3 (interval or period or window or time)) | USPAT | OR | ON | 2007/06/13 14:17 |
| L23 | 108 | L22 and ((state or event) near3 (monitor\$4 or analyz\$4 or tracing or trace or tracking or track or profil\$4)) | USPAT | OR | ON | 2007/06/13 14:18 |
| L24 | 78 | L23 and ((interval or period or time or window) near3 ((plurality or several or many or multiple or multitude) near3 (event or variable or value))) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/13 14:24 |
| L25 | 6 | L24 and ((CPU near3 load\$4) or (CPU near3 wait\$4) or (disk near3 wait\$4) or (processor near3 load\$4) or (processor near3 wait\$4) or (frequency near4 load\$4)) | US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/13 14:26 |
| S62 | 291 | variable near3 (trace or tracing or profil\$4 or monitor\$4) near3 (interval or period or window) | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 13:37 |
| S64 | 23 | ((program or application or software) adj (execution) adj (state or event)) near3 (monitor\$6 or watch\$4 or trac\$4 or profil\$4) | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 13:40 |
| S65 | 2 | S64 with interval | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 13:39 |
| S66 | 0 | S64 same (event near3 interval) | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 13:39 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S67 | 0 | S64 with period | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 13:39 |
| S68 | 0 | S64 same (event near3 period) | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 13:41 |
| S69 | 388 | ((execution) adj (state or event)) near3 (monitor\$6 or watch\$4.or trac\$4 or profil\$4) | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 13:40 |
| S70 | 2 | S69 with interval | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 13:41 |
| S71 | 0 | S69 same (event near3 interval) | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 13:41 |
| S72 | 6 | S69 same period | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 14:28 |
| S73 | 0 | S69 same (event near3 period) | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 13:41 |

EAST Search History

| | | | | | | |
|-----|---|---|---|----|----|---------------------|
| S74 | 3 | (execution near2 monitor\$4) and ((event near2 monitor\$4) with ((decreas\$4 or short\$6) near3 (interval or period))) | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 14:44 |
| S75 | 0 | (execution near2 monitor\$4) and ((event near2 monitor\$4) with ((group\$4) near3 (interval or period))) | US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/06/08 14:44 |



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

Nothing Found

Your search for **"execution state monitor" AND "shortening interval"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

"execution state monitor" AND "shorter interval"



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used execution state monitor AND shorter interval

Found 6 of 203,282

 Sort results by ☐ relevance ☐ Save results to a Binder
 Display results ☐ expanded form ☐ Search Tips
☐ Open results in a new window

 Try an [Advanced Search](#)
 Try this search in [The ACM Guide](#)

Results 1 - 6 of 6

Relevance scale ☐ ☐ ☐ ☐ ☐1 Estimating the Mean of a Correlated Binary Sequence with an Application to Discrete ☐Event Simulation

George S. Fishman, Louis R. Moore

January 1979 **Journal of the ACM (JACM)**, Volume 26 Issue 1

Publisher: ACM Press

Full text available: pdf(617.66 KB) Additional Information: [full citation](#), [references](#), [index terms](#)2 Capturing life experiences: Do life-logging technologies support memory for the past?: an experimental study using sensecam ☐

Abigail J. Sellen, Andrew Fogg, Mike Aitken, Steve Hodges, Carsten Rother, Ken Wood

April 2007 **Proceedings of the SIGCHI conference on Human factors in computing systems CHI '07**

Publisher: ACM Press

Full text available: pdf(677.49 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We report on the results of a study using SenseCam, a "life-logging" technology in the form of a wearable camera, which aims to capture data about everyday life in order to support people's memory for past, personal events. We find evidence that SenseCam images do facilitate people's ability to connect to their past, but that images do this in different ways. We make a distinction between "remembering" the past, and "knowing" about it, and provide evidence that SenseCam Images work differentl ...

Keywords: SenseCam, capture, episodic or autobiographical memory, images, life-logging, personal digital archives

3 Tree-structured neural decoding ☐

Christian d'Avignon, Donald Geman

December 2003 **The Journal of Machine Learning Research**, Volume 4

Publisher: MIT Press

Full text available: pdf(218.59 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We propose adaptive testing as a general mechanism for extracting information about stimuli from spike trains. Each test or question corresponds to choosing a neuron and a time interval and checking for a given number of spikes. No assumptions are made about the distribution of spikes or any other aspect of neural encoding. The chosen questions are

those which most reduce the uncertainty about the stimulus, as measured by entropy and estimated from stimulus-response data. Our experiments are bas ...

4 Compilation: Equivalence checking of arithmetic expressions using fast evaluation ☐



Mohammad Ali Ghodrat, Tony Givargis, Alex Nicolau

September 2005 **Proceedings of the 2005 international conference on Compilers, architectures and synthesis for embedded systems CASES '05**

Publisher: ACM Press

Full text available: [pdf\(245.17 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Arithmetic expressions are the fundamental building blocks of hardware and software systems. An important problem in computational theory is to decide if two arithmetic expressions are equivalent. However, the general problem of equivalence checking, in digital computers, belongs to the *NP Hard* class of problems. Moreover, existing general techniques for solving this decision problem are applicable to very simple expressions and impractical when applied to more complex expressions found i ...

Keywords: expression equivalence, interval analysis, mutual exclusion

5 Session 4: Persistence barcodes for shapes ☐



Gunnar Carlsson, Afra Zomorodian, Anne Collins, Leonidas Guibas

July 2004 **Proceedings of the 2004 Eurographics/ACM SIGGRAPH symposium on Geometry processing SGP '04**

Publisher: ACM Press

Full text available: [pdf\(320.31 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

In this paper, we initiate a study of shape description and classification via the application of persistent homology to two tangential constructions on geometric objects. Our techniques combine the differentiating power of geometry with the classifying power of topology. The homology of our first construction, the tangent complex, can distinguish between topologically identical shapes with different "sharp" features, such as corners. To capture "soft" curvature-dependent features, we define a s ...

6 Traffic generation and analysis: Self-configuring network traffic generation ☐



Joel Sommers, Paul Barford

October 2004 **Proceedings of the 4th ACM SIGCOMM conference on Internet measurement IMC '04**

Publisher: ACM Press

Full text available: [pdf\(1.22 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The ability to generate repeatable, realistic network traffic is critical in both simulation and testbed environments. Traffic generation capabilities to date have been limited to either simple sequenced packet streams typically aimed at throughput testing, or to application-specific tools focused on, for example, recreating representative HTTP requests. In this paper we describe Harpoon, a new application-independent tool for generating representative packet traffic at the <i>IP flow lev ...

Keywords: network flows, traffic generation

Results 1 - 6 of 6

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

"execution state monitor" AND "interval group"



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used execution state monitor AND interval group

Found 2 of 203,282

Sort results by

relevance

[Save results to a Binder](#)

Display results

expanded form

[Search Tips](#)
☐ Open results in a new window
Try an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐1 [Procedural modeling of cities](#)

Yoav I. H. Parish, Pascal Müller

August 2001 **Proceedings of the 28th annual conference on Computer graphics and interactive techniques SIGGRAPH '01**

Publisher: ACM Press

Full text available: [pdf\(1.04 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Modeling a city poses a number of problems to computer graphics. Every urban area has a transportation network that follows population and environmental influences, and often a superimposed pattern plan. The buildings appearances follow historical, aesthetic and statutory rules. To create a virtual city, a roadmap has to be designed and a large number of buildings need to be generated. We propose a system using a procedural approach based on L-systems to model cities. From various image maps ...

Keywords: L-system, architecture, developmental models, modeling, software design, urban development

2 [Detecting topical events in digital video](#)

Tanveer Syeda-Mahmood, S. Srinivasan

October 2000 **Proceedings of the eighth ACM international conference on Multimedia MULTIMEDIA '00**

Publisher: ACM Press

Full text available: [pdf\(1.04 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The detection of events is essential to high-level semantic querying of video databases. It is also a very challenging problem requiring the detection and integration of evidence for an event available in multiple information modalities, such as audio, video and language. This paper focuses on the detection of specific types of events, namely, topic of discussion events that occur in classroom/lecture environments. Specifically, we present a query-driven approach to the detection of topic of ...

Keywords: multi-modal fusion, query-driven topic detection, slide detection, topic of discussion events, topical audio events

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

"execution event monitor" AND "interval group"



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **execution event monitor** AND **interval group**

Found 2 of 203,282

Sort results by

relevance


[Save results to a Binder](#)

 Try an [Advanced Search](#)

 Try this search in [The ACM Guide](#)

Display results

expanded form


[Search Tips](#)
☐ Open results in a new window

Results 1 - 2 of 2

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Procedural modeling of cities](#)



Yoav I. H. Parish, Pascal Müller

 August 2001 **Proceedings of the 28th annual conference on Computer graphics and interactive techniques SIGGRAPH '01**

Publisher: ACM Press

 Full text available: [pdf\(1.04 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Modeling a city poses a number of problems to computer graphics. Every urban area has a transportation network that follows population and environmental influences, and often a superimposed pattern plan. The buildings appearances follow historical, aesthetic and statutory rules. To create a virtual city, a roadmap has to be designed and a large number of buildings need to be generated. We propose a system using a procedural approach based on L-systems to model cities. From various image maps ...

Keywords: L-system, architecture, developmental models, modeling, software design, urban development

2 [Detecting topical events in digital video](#)



Tanveer Syeda-Mahmood, S. Srinivasan

 October 2000 **Proceedings of the eighth ACM international conference on Multimedia MULTIMEDIA '00**

Publisher: ACM Press

 Full text available: [pdf\(1.04 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The detection of events is essential to high-level semantic querying of video databases. It is also a very challenging problem requiring the detection and integration of evidence for an event available in multiple information modalities, such as audio, video and language. This paper focuses on the detection of specific types of events, namely, topic of discussion events that occur in classroom/lecture environments. Specifically, we present a query-driven approach to the detection of topic of ...

Keywords: multi-modal fusion, query-driven topic detection, slide detection, topic of discussion events, topical audio events

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

"execution event monitor" AND "decreasing the interval"



Nothing Found

Your search for **"execution event monitor" AND "decreasing the interval"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

"execution event monitor" AND "shortening the interval"



Nothing Found

Your search for **"execution event monitor" AND "shortening the interval"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.





museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)